

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6829561".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 18:56
L2	56	(deviat\$4 or delta) with key with (cluster\$4 or group\$4 or classif\$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:12
L3	24712	"56" and (mean with value)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 19:00
L4	7	l2 and (mean with value)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:10
L5	3	l4 and sort\$4	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 19:00
L6	101	(cluster\$4 or classif\$7 or correlat\$4) with (record\$2 or attribut\$4) with ((deviation or error or delta) with value)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:50
L7	2	l6 and (sort\$4 with (attribut\$4 or field\$4 or record\$4))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:09
L8	1	l6 and ((sort\$4 or order\$4) with (attribut\$4 or field\$4 or record\$4) with key)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:01
L9	2978	(sort\$4 or filter\$4) with (attribut\$4 or propert\$4 or field\$2 or record\$2) with (deviation or difference or distance)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:15
L10	10	((sort\$4 or filter\$4) with (attribut\$4 or propert\$4 or field\$2 or record\$2) with (deviation or difference or distance) with key)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:16
L11	8	l10 and (cluster\$4 or classif\$7 or group\$4 or correlat\$4)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:22

EAST Search History

L12	3	I10 and ((cluster\$4 or classif\$7 or group\$4 or correlat\$4) with key)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:29
L13	813	(cluster\$4 or classi\$7 or correlat\$4) with (record\$2 or attribut\$4 or field\$4 or proptert\$4 or data) with ((deviation or error or delta) with value)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:17
L14	494	I13 and ((calculat\$4 or determin\$4 or evaluat\$4) with (deviat\$4 or difference\$4 or delta or distance))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:33
L15	0	I14 and ((sort\$4 or filter\$4 or order\$4) with (difference or deviat\$4 or delta or distance) with (creat\$4 or generat\$4 or provid\$4) with key)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:38
L16	4	I14 and ((sort\$4 or filter\$4 or order\$4) with (difference or deviat\$4 or delta or distance)) and ((creat\$4 or generat\$4 or provid\$4) with key)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 20:39
L17	12	(cluster\$4 or classi\$7 or correlat\$4) with (record\$2 or attribut\$4 or field\$4 or proptert\$4 or data) with ((deviation or error or delta) with value) and ((sort\$4 or order\$4) with (decend\$4 or ascend\$4))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:00
L18	3	(cluster\$4 or classi\$7 or correlat\$4) with (record\$2 or attribut\$4 or field\$4 or proptert\$4 or data) with ((deviation or error or delta) with value) and ((sort\$4 or order\$4) with (decend\$4 or ascend\$4)) and ((cluster\$4 or classi\$7 or correlat\$4) with (decend\$4 or ascend\$4))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:02
L19	11	(cluster\$4 or classi\$9 or correlat\$4 or group\$4) with (record\$2 or attribut\$4 or field\$4 or proptert\$4 or data) with ((deviation or error or delta) with value) and ((sort\$4 or order\$4) with (decend\$4 or ascend\$4)) and ((cluster\$4 or classi\$9 or correlat\$4 or group\$4) with (decend\$4 or ascend\$4))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:10

EAST Search History

L20	2	(cluster\$4 or classi\$9 or correlat\$4 or group\$4) with (record\$2 or attribut\$4 or field\$4 or propert\$4 or data) with ((deviation or error or delta) with value) and ((sort\$4 or order\$4) with (decend\$4 or ascend\$4)) and ((cluster\$4 or classi\$9 or correlat\$4 or group\$4) with (decend\$4 or ascend\$4)) and (key with length)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:12
L21	1	(cluster\$4 or classi\$9 or correlat\$4 or group\$4) with (record\$2 or attribut\$4 or field\$4 or propert\$4 or data) with ((deviation or error or delta) with value) and ((sort\$4 or order\$4) with (decend\$4 or ascend\$4)) and ((cluster\$4 or classi\$9 or correlat\$4 or group\$4) with (decend\$4 or ascend\$4)) and (key with length) and (first with key) and (second with key)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:13
L22	267	(cluster\$4 or classi\$9 or correlat\$4 or group\$4) with (record\$2 or attribut\$4 or field\$4 or propert\$4 or data) with ((deviation or error or delta or differ\$7 or distance) with value) and Euclid\$4	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:19
L23	14	I22 and ((min\$4 or small\$4) with number with record\$4)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:43
L24	0	I23 and ((match\$4 or compar\$4) with key)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:21
L25	0	"6173275".pn. and euclids	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:44
L26	0	"6173275".pn. and Euclids	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:44
L27	0	"6173275".pn. and distanc	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/04/13 21:44